



TOOL SPECIAL

3211 Fostoria Way, Unit E 43815 S Grimmer Blvd San Ramon, CA 94583 (925) 277-9244

Fremont, CA 94538 (510) 656-6233

8" SOUEEGEE W/20" HANDLE

- . Tough, rubber blades
- Wood handles
- Zinc plated body



8" SOUEEGEE W/24" HANDLE

- · Tough, rubber blades
- Wood handles
- Zinc plated body

W1468



HEAVY DUTY SOLDERING GUN KIT

- UL listed
- · Pistol grip style
- . Instant heat 85 watts
- . Includes extra tip and roll of solder



24" SHOP BROOM W/STEEL HANDLE

- Soft 3-in. bristles for use on smooth to medium surfaces such as garage/shop floors, finished concrete, masonry and more
- Durable polypropylene brush bristles
- 60-in. powder-coated steel handle with universal aluminum ferrule and a handle with a hang hole
- 15/16 in. (23.8mm) diameter steel handle
- Threaded handle insert on both sides for even wear

W28



- . Holds open the hoods or trunk lids when the gas lift support struts don't work
- Fully Retracted 18.5 in. (47cm) Fully Extended 40 in. (102cm)
- . Simple twist-lock action to secure the prop rod length
- · Rubber caps protect the surface of the car and provides extra grip

W1475

\$**13**59



900 AMP JUMP STARTER W/INFLATOR

- 900 Peak Amps/400 Cranking Amp Jump Starter
- 300 psi Air Compressor/Inflator for pumping up tires and inflating rafts, balls, air mattresses & other inflatables
- 7 Blue LED work light
- · Reverse polarity warning light and beep signal help prevent damaging unit or battery
- 24" Inflator hose
- Two 12V Power Adapter Outlets
- Automatic shut-off prevents over charging the battery
- Equipped with 12 Volt, 12AH Sealed Lead Acid Battery

W1665



500+LM LED UNDERHOOD WORK LIGHT

- . Unique design spans up to a 78" wide hood, yet takes up less than 18" of space in your tool box
- · Padded hooks prevent scratching or denting
- · Retractable steel wires with end hooks to fit almost any size hood
- . Magnets and hooks on back for added versatility • Powered by 18650 Li-lon battery, or direct plug in via USB cable
- (both included)
- Specifications: 513lm on high, 256lm on low, 1.25hr runtime, 60m beam distance, 924mcd beam intensity



6500+LM 120V WORK LIGHT W/TRIPOD

- Complete work light system produces 6500+ lumens
- Includes 120V E26 threaded ceiling light, 120V adapter with 12ft cord, and 3-section telescoping tripod stand
- Energy efficient replacement to high output halogen, halide, sodium or other incandescent lights
- Uses the same energy as a 60W incandescent light bulb, but produces nearly 8 times the amount of light
- Fully adjustable tripod with a height range of 70-200cm (27.5-78.5") and standard 1/4"-20 threaded receiver

W2286



1000LM 120V WORKBENCH POWER STATION

- This versatile power station is commercial grade with lighted on/off switches and built in circuit breaker
- Instantly adds 120v electrical outlets. USB ports and additional lighting to your work space
- 6 commercial quality outlets are copper coated with riveted construction that will not fail during prolonged 15 amp current draw
- 2 LED lights put out a total of 1000 lumens of 6000K daylight, illuminating your work area
- 2x USB Charging ports provide 5v@2.4 amp on each (3.4A total max) with over current protection
- . Upgraded unit includes a 5V @ 3A USB-C charging port
- · Built-in cradle for your cell phone or tablet



17" ALUMINUM DUSTPAN

- Extra-large 17 in. aluminum dustpan
- · Lightweight, corrosion-resistant aluminum
- Wide design with low profile leading edge is great for large clean-up jobs
- Double riveted, looped tubular steel handle provides strength, rigidity, and easy storage

WHEEL STEP

- Non-slip surface
- 4 Position height adjustment
- Fits tires up to 13 in. wide • Step dimensions: 9 in. x 21 in
- 300lb rated capacity



6" BENCH GRINDER W/WORK LIGHT

- Equipped with work light
- 1/2 Horsepower motor
- 3400 RPM (no load)
- 1/2" arbor UL approved
- 36 and 60 grit wheels included

W50001



4-1/2" X 1/16" CUT OFF WHEEL

- · Premium aluminum oxide grain for fast cutting action and long life
- The 4.5 inch cut off wheel will work on most 4-1/2 inch grinders with a 7/8 inch hub
- 13,300 RPM maximum RPM
- · Abrasive wheels are manufactured using ISO9001 standards and quality certified by MPA - Hanover, the leading authority in abrasives



120 Volt

PU

HEAT GUN

- Dual speed fan delivers 300/500 CFM at temperatures between 572-932 Degrees Fahrenheit (300-500 C)
- Heating coils wrapped around ceramic insulators for extended run times and more consistent heat output
- 6 ft. 2-pronged power cord
- Works with W50076A 4pc Heat Gun Nozzle Kit
- cETL listed 5002889

W50076

PROTECTIVE EAR MUFFS

- · Foam-filled ear cups provide excellent noise reduction
- . Soft, wide ear cushions for a comfortable fit
- · Folding design for easy storage
- · Lightweight for all-day comfort
- . Noise reduction rating: 25 dB

W50071



- Variable 0.8 to 12 amp and 1500 watt max power output
- . Manual variable heat settings for a wide variety of jobs
- · Superior coil design heats more quickly and maintains even temperature
- 6 ft. 2-pronged power cord
- Works with nozzle kit W50076A



8" BENCH GRINDER

- · Cast iron housing. 3/4 HP UL approved. 115 volt, 60 Hz & 3,450 RPM
- Wide, clear, easy to adjust eye shields
- · Adjustable tool rests
- · Ball bearings for durability
- 1 fine and 1 coarse wheel included

\$**12N**49



VARIABLE TEMPERATURE HEAT GUN

- Powerful 2-speed 1500 watt motor

- · Loop pistol grip for easy hanging
- cETL listed 4002205



HEAVY DUTY HEAT GUN

- 13.5 amp. 1600 watt max power output
- Detachable, three-position non-slip steel base for hands-free operation
- Temperature range between 1000 degrees and 1100 degrees Fahrenheit
- 6 SCFM air delivery
- · Cool blower feature with three-position switch
- 1 in. Diameter air flow nozzle
- 6 ft. 3-pronged power cord
- ETL US Listed 4002205

W50078



900W STEAM CLEANER

- Non-toxic no dangerous chemicals, fumes or residues Clean grease, grime, dirt, soap scum, wrinkles, stains, bacteria, insects, doors, windows, floors
- · Chemical-free solution for insects, bacteria and other household pests
- Includes 9 Accessories: flexible extension, round brush nozzle, 90° spray nozzle, long spray nozzle, wide nozzle, squeegee, fabric towel, funnel and measuring cup
- 10 ft. 2-pronged power cord



1500-WATT INFRARED SHOP HEATER

- Infrared technology heats up the person or object rather than the air
- · Energy efficient operation coverts nearly all energy into heat
- · Carbon fiber glass enclosed tube heats up quickly and evenly
- . Moisture resistant for operation in or covered outdoors (do not expose directly to rain or water)
- Adjustable thermostat levels for optimum indoor and outdoor comfort and automatic overheating shut-off
- . No fuels or oxygen required like gas or fan driven heaters, resulting in safe, quiet and odorless operation
- 8-ft grounded cord



250-WATT PERSONAL SPACE HEATER

- · 250-Watt makes this energy saving mini heater ideal for small spaces where a little extra heat is needed
- · Compact and light weight enough for used on top of your desk • Efficient ceramic coils heat up in seconds while the quiet
- direct drive fan delivers 853 BTUs of warmth
- · Safety is built-in with tip-over and overheating protection that automatically shuts off the heater
- The sturdy 6' power cord has plenty of reach



OIL CARTRIDGE SOCKET SET

- Contains 24, 27, 29, 30, 32, 36 and 38mm Sizes
- Low profile 6-point design with 3/8 in. drive to fit a ratchet or extension
- Cr-V Construction for strength and durability
- Blow Molded Storage Case



SUCTION GUN

- Professional quality heavy duty construction for long service life · Perfect for transmissions, differentials,
- gear cases, lower units, crankcases, etc Zinc head, 12in. flexible hose, and 1
- pint total capacity No priming necessary, just submerge
- the hose end and draw the handle back



7 PC. VW-AUDI-PORSCHE BIT SET

- · A necessary tool set when working on VW-Audi-Porsches
- · For working with head bolts, disc brake calipers, axle shafts and other applications
- For jobs requiring a triple square serrated bit
- · Feature CRV sockets with S2 steel bits for durability
- Blow molded storage case
- Sizes include: Extra-long 8, 10 and 14mm 12 pt.; Short 12mm 12 pt.; 14mm and 16mm 12 pt. bits hex shank, and a rounded spreader bit



2.4" LCD INSPECTION CAMERA

- 2.4" LCD monitor with 320 x 240 VGA resolution, 180 degree image rotation and mirroring
- Submersible 8mm camera
- 36" (1 meter) flexible neck
- TV/video output iack
- · Useful for inspecting engine compartment, valves, combustion chamber, and other hard to reach areas



106 PC. WEATHERPROOF HEAT SHRINK SET

- Shrink Ratio: 3:1
- · Weatherproof protective coating inside to insulate against moisture

· Includes storage case

W541



7 PC. BEARING RACE & SEAL DRIVER

- Quickly & easily inserts wheel bearing races and seals without damage to race or axle housing
- · Set includes (6) aluminum discs to fit common sizes: 1.565, 1.75, 1.965, 2.325, 2.47 and 2.555 in



CV JOINT REMOVAL TOOL

- · Quickly separates the CV Joint from the axle without removing the drive shaft
- · Reduce the risk of damaging the transmission, or the CV Joint
- Keeps hands free for releasing retaining circlip if so equipped
- . Suitable for most vehicles equipped with Constant Velocity U-joints
- Maximum CVJ Diameter: 95mm Length: 230mm



2.4" LCD INSPECTION CAMERA

- 2.4 in. color LCD monitor with 320 x 240 VGA resolution displays real time playback of hard to reach, inaccessible, or out of view areas
- Extra-long submersible 5/16 in. (8mm) diameter camera features 79 in. (200cm) flexible neck and 640 x 480 resolution
- In-Plane Switching (IPS) technology delivers better image
- 6 white LEDs with 3 brightness output levels
- Includes mirror, hook clip, magnet, charging cable, and builtin 18650 lithium ion battery



WHEEL DOLLY (1 PAIR)

- · Move your car, riding mower, trailer and much more in any direction with just a push
- · Makes storage and service and restoration easier
- . 1,000 lb capacity per dolly
- 3 1/2" cast iron swivel ball bearing casters
- · Accepts tires up to 14" wide
- Overall size: 23 1/2" x 15 1/2" x 5 1/2 W54013



Manual oil extraction pump

· Conveniently remove oil or other liquids with no mess from spills or inconveniently accessed drain plugs

 Evacuates fluids including engine oil, transmission fluid, gear oil, coolant, and power steering fluid

• 8 Liters(2.11 Gal) Polyethylene constructed reservoir, large enough for most jobs

• Hose Length: Inlet 51 in. (129.5 cm.) Outlet 51 in. (129.5 cm.)

W54171



2 PC. PLASTIC CHISEL SET

- Use to remove decals, stickers, and moldings from your vehicle without damage to the finish
- Made of high-impact plastic to withstand mallet strikes
- Handles incorporate a hand guard for added protection • Tips can be sharpened with a second cut or smooth
- cut file to prolong tool use
- Chisel Length: 10 in. (25.4 cm) Chisel Width: 1 in. (25.4 mm), 1-1/2 in. (38.1 mm)



UNIVERSAL LIFT SUPPORT CLAMP

- · Designed to hold gas charged lift supports found on hoods, tailgates, hatchbacks and trunks
- Securely holds weak lift supports in the extended position to allow access
- Strong steel thread surrounded by an aluminum clamp to prevents damage to lift support
- Change weak lifts on vehicles with two support rods



BAR STOOL W/ SWIVEL SEAT

- 30" tall
- · Durable, easy to clean, 14" round vinyl padded swiveling seat
- Black powder coated





5 PC. 1" DR. BUDD WHEEL SOCKET

- Contains one each 33, 35, 38, 41mm and 1 1/2" sockets
- 1" drive 6 point sockets
- · Metric sockets fit front and rear axle wheels on Isuzu, Hino, Mitsubishi Fuso and import trucks
- Use 33mm on Mack Midliner, Volvo, White and import trucks with dual rear wheels
- 1 1/2" socket for domestic trucks with dual rear wheels • Size SAE: 1 1/2"
- Sizes Metric: 33, 35, 38 and 41mm



23 PC. TERMINAL RELEASE KIT

- Terminal Release/ Remover Set to release the terminals from plastic connector housings on American, European and Japanese vehicles
- Set of 23 different sized tools specially designed to safely remove wires from terminal blocks without damage
- Tools fit terminals used in BMW, Mercedes, VW, Audi, Jaguar, Porsche, Saab, Ford, Chrysler, Fiat, Honda, Mazda, Mitsubishi and Toyota vehicles
- Kit includes tube, flat, flat twin, flat twin angle tip, square, triple flat, U-notched flat, pin and pick style blades
- · Comfort grip TPR layered polypropylene handles
- Tool tips are made from stainless steel with chromeplated hollow brass shafts



MASTER FUEL INJECTION TEST KIT

- Quickly and accurately diagnose fuel injection problems
- · Includes universal inline adapter for unique systems and adapters for most foreign and domestic fuel systems
- Set includes: 0-100 PSI (0-7.0 bar) gauge with boot & hang up hook

• GM 2.5L & 5.7L fuel injection pressure test adapter, hose clamps and hose



7 PC. SPECIALTY SWITCH SOCKET SET

- 6 point socket with cutaway portion for wire clearance
- Offset design for confined areas
- Remove and install sensors on computerized engine control vehicles
- Includes: 7/8" (22mm) offset extended oxygen sensor socket, 7/8" (22mm) offset oxygen sensor socket, 7/8" (22mm) vacuum switch socket, 7/8" (22mm) oxygen sensor socket, 1 1/16" (27mm) deep oil switch socket, 1 3/16" (29mm) oil sender unit socket, 1 1/16" (27mm) GM thermal sensor switch socket



SPILL PROOF COOLANT FUNNEL KIT

- · Easily used to properly refill automotive cooling systems without the chance of spilling
- · Eliminates trapped air pockets which causes erratic cooling system and heater performance
- Includes threaded cap adapters for newer GM and Ford threaded style radiator openings



NEOPRENE PROTECTIVE WORK MAT

- · Oversized mat provides a protected work space on your work bench, kitchen table or computer desk space
- · Neoprene construction is chemical resistant to protect your work surface from cleaning solvents, oils and dirt
- Top thermo-fiber layer provides you with a firm but cushioned work surface
- Ruler with standard / metric measurements and several reference charts including SAE/Metric, fluid, and oil to gas ratios
- Exact Measurements: 16" x 35.75 x 1/8" thick



6 PC. ANTI-FATIGUE MAT 24" X 24"

- · Shock absorbent material provides added comfort when standing for long periods of time
- 3/8 in. (10 mm) thick mat adds comfort and protection to any floor • Six 2 ft. x 2 ft. (60 cm x 60 cm) mats with interlocking edges that can be expanded to any size, or cut to fit any shape
- Each pack covers 4 ft. x 6 ft. (120 cm x 180 cm) and includes straight edge borders for a clean, finished look
- Connect multiple packs for extended floor coverage



COOLING SYSTEM PRESSURE TEST

- Detects Internal Engine Leaks Caused by Blown Head Gaskets And/or Cracked Block Or Heads
- · Quickly Reveals External Cooling System Leaks
- . Kit Includes High Quality Hand Pump And 12 Adapters To Fit The Most Popular Domestic & Import Cars & Light Trucks

