



SPRING *TOOL SPECIAL*

Prices good for April – June 2026

43815 S Grimmer Blvd
Fremont, CA 94538
(510) 656-6233

3211 Fostoria Way, Unit E
San Ramon, CA 94583
(925) 277-9244

FENDER BUDDY FLEXIBLE TRAY

- This tray is the perfect size to transport sockets and wrenches right to the project site, 14.19 in. x 9.05 in. x 1.1 in
- Tray also has molded holes for drill bits, hex keys, or screwdriver bits
- Soft silicone material grips and molds to anything it sets on and will not damage the surface

W1294
\$30⁴⁹



8" SQUEEGEES

- Tough, rubber blades
- Wood handles
- Zinc plated body

\$5⁵⁹ EA

20 IN. - W1466
24 IN. - W1468



ADJUSTABLE PROP ROD

- Holds open the hoods or trunk lids when the gas lift support struts don't work
- Fully Retracted 18.5 in. (47cm) - Fully Extended 40 in. (102cm)
- Rubber caps protect the surface of the car and provides extra grip

W1475
\$14⁴⁹



3 TON RAPID LIFT LOW PROFILE FLOOR JACK

- Dual piston rapid lift, raises most vehicles with just 3-1/2 pumps
- The modern design is ideal for the extra-low-profile vehicles
- Precision-welded steel construction, with a powder-coated finish, and rust-resistant hardware
- 45-1/2 in. long handle with a foam sleeve to protect the vehicle's side panel from damage
- Lift Range: 3-1/4 to 20 in
- Meets or exceeds ASME PALD-2014

W1626

\$325⁶⁹



3 TON GARAGE JACK

- 6,000 lb. capacity
- Minimum Height 3-1/8 in
- Maximum Height 19-7/8 in
- Steel lifting saddle with 360 degree swivel

W1617

\$316⁴⁹



HYDRAULIC BOTTLE JACKS

- Heat treated critical stress areas ensure long life performance
- Steel lifting saddle cleated for load gripping stability
- Two piece sectional handle for easy assembly and storage
- Oversize cast iron base for extra durability
- Meets or exceeds ASME PALD-2009

12 TON - W1632

Lift Range: 9-1/4 to 18-1/2 in.

\$54⁴⁹

20 TON - W1633

Lift Range: 9-1/2 to 17-3/4 in.

\$81⁷⁹



SHORTY
12 TON - W1643

Lift Range: 6-11/16 to 13 in.

\$48⁴⁹

150+LM 5 LED HEADLAMP

- High output wide angle LEDs create a large flood of light
- Low profile design with adjustable head strap
- Comfortable and lightweight design
- Powered by 3AAA batteries (included)
- Specifications: 180 lumens (high), 55 lumens (low), 5 hour runtime (high), 16 hour runtime (low)

W2334 **\$11⁶⁹**



1000LM 120V WORKBENCH POWER STATION

- This versatile commercial grade power station adds multiple 120V electrical outlets with a built-in circuit breaker, 2 USB ports
- 6 commercial quality outlets are copper coated with riveted construction
- 2 LED lights put out a total of 1000 lumens
- 2x USB Charging ports provide 5v@2.4 amp on each (3.4A total max) with over current protection
- Upgraded unit includes a 5V @ 3A USB-C charging port

W2279



\$69⁴⁹

200+LM LI-ION BRIM CLIP LIGHT

- Clips on to brim of hat for hands free use
- Adjustable head for precise illumination
- Wide angle LEDs provide a flood of light
- Internal rechargeable li-ion battery
- Includes micro USB cord

\$17⁶⁹

W2336



1200+LM FIREPOINT X FLASHLIGHT

- Adjustable DuoFocus beam goes from spot to flood
- Super Bright Sylvania LED never needs replacing
- Anodized tactical aluminum housing
- Water and impact resistant
- Requires 6AA batteries (included)

W2653



\$34⁶⁹

1700+LM FIREPOINT X FLASHLIGHT

- Adjustable DuoFocus beam goes from spot to flood
- Super Bright Philips LED never needs replacing
- Anodized tactical aluminum housing
- Water and impact resistant
- Requires 9AA batteries (included)

W2654



\$39⁹⁹

300+LM FIREPOINT X PENLIGHT

- Adjustable DuoFocus beam goes from spot to flood
- Super Bright Cree LED never needs replacing
- Anodized tactical aluminum housing
- Water and impact resistant
- Requires 3AAA batteries (included)

W2657



\$11⁸⁹

500+LM LED UNDERHOOD WORK LIGHT

- Unique design spans up to a 78" wide hood, yet takes up less than 18" of space in your tool box
- Padded hooks prevent scratching or denting
- Retractable steel wires with end hooks to fit almost any size hood
- Magnets and hooks on back for added versatility
- Powered by 18650 Li-Ion battery, or direct plug in via USB cable (both included)
- Wide angle LEDs provide over 500 lumens of flood light
- US Patent D882137

W2404

\$42⁴⁹



3000+LM FIREPOINT X LI-ION FLASHLIGHT

- Adjustable DuoFocus beam goes from spot to flood
- Super Bright Cree LED never needs replacing
- Anodized tactical aluminum housing
- Water and impact resistant
- Includes (2) 2600mAh, 3.7V Li-Ion batteries
- Includes USB battery charger

W2655

\$47⁸⁹



500LM LOW PROFILE STRIP HEADLAMP

- 500LM rechargeable COB strip headlamp
- Uses professional grade licensed COB [Chip-on-Board] technology strips
- Adjustable strap with rear battery pack with power level indicator
- 4-Output Settings
- Powered by 3.7V 1800mAh Li-Polymer rechargeable battery (built-in)
- USB-C charge cord included (50 cm)

W2681

\$21⁴⁹



1000+LM LI-ION UNDERHOOD LIGHT

- Innovative design spans hoods over 6 feet wide and wraps up for compact storage
- 15 in. (38 cm) flexible light bar provides a variety of uses and allows light to be directed right where you need it
- 60 Wide angle LEDs provide over 1000 lumens of flood light
- Adjustable elastic strap fits almost any size hood
- Rubber padded hooks prevent scratching or denting
- Powered by dual 18650 2200mAh Li-Ion batteries (included) and USB charging cable
- High, medium and low beam settings
- Specifications: 1071 lumens, 2.5 hr. runtime on high; 500 lumens, 4 hr. runtime on medium; 300 lumens, 5 hr. runtime on low
- US patent number D1032036

W2673

\$31⁷⁹



24" SHOP BROOM W/STEEL HANDLE

- Soft 3-in. bristles for use on smooth to medium surfaces such as garage/shop floors, finished concrete, masonry and more
- Durable polypropylene brush bristles
- 60-in. powder-coated steel handle with universal aluminum ferrule and a handle with a hang hole
- 15/16 in. (23.8mm) diameter steel handle
- Threaded handle insert on both sides for even wear

W28

\$19⁴⁹



17" ALUMINUM DUSTPAN

- Extra-large 17 in. aluminum dustpan
- Lightweight, corrosion-resistant aluminum
- Wide design with low profile leading edge is great for large clean-up jobs
- Double riveted, looped tubular steel handle provides strength, rigidity, and easy storage
- Dimensions: 16-1/2 in. (42cm) wide at mouth, 9 in. (23cm) depth, 2 in. (5cm) high at the back

W30

\$17⁴⁹



5 PC. 1/2" DR. THIN WALL IMPACT SOCKETS

- Protective sleeves and plastic inserts prevent scratching of wheels and lug nuts
- Hollow design allows room for removing longer bolts
- Color coded for easy identification
- Heavy duty chrome molybdenum
- Sizes Include: 17mm, 19mm (3/4), 21mm, 13/16 inch and 7/8 inch

W32902

\$44⁴⁹



Prices good for April – June 2026

WHEEL STEP

- Non-slip surface
- 4 Position height adjustment
- Fits tires up to 13 in. wide
- Step dimensions: 9 in. x 21 in
- 300lb rated capacity



W41039



\$59⁶⁹

HEAVY DUTY HEAT GUN

- 13.5 amp, 1600 watt max power output
- Detachable, three-position non-slip steel base for hands-free operation
- Temperature range between 1000 degrees and 1100 degrees Fahrenheit
- 6 SCFM air delivery
- 6 ft. 3-pronged power cord
- ETL US Listed 4002205



W50078

\$95⁴⁹

407 PC. O-RING ASSORTMENT

- Nitrile Butadiene Rubber
- Suitable for many Hydrocarbons, Fats, Oils, Gas, etc..
- Not Suitable for use with Brake Fluids
- Good Abrasion Resistance and Resistant to Compression
- High Tensile Strength. Shore A durometer (hardness) 70
- Temperature range of -50F to 220F

W5202



\$16⁴⁹

MANUAL OIL EXTRACTION PUMP

- Conveniently remove oil or other liquids with no mess from spills or inconveniently accessed drain plugs
- Evacuates fluids including engine oil, transmission fluid, gear oil, coolant, and power steering fluid
- 8 Liters(2.11 Gal) Polyethylene constructed reservoir, large enough for most jobs
- Hose Length: Inlet 51 in. (129.5 cm.) Outlet 51 in. (129.5 cm.)

W54171

\$48⁴⁹



VARIABLE SPEED ELECTRIC BLOWER 300 CFM

- Moves up to 300 Cubic Feet per Minute (CFM)
- 2 Built-in 15 amp grounded outlets Durable ABS construction
- Variable rheostat switch allows precise speed control
- Built-in carrying handle
- Specifications: 900 to 1500 RPM, maximum 300 CFM, 120 VAC, 60 Hz, 190 watts, 8 ft. 4 in. 3-prong grounded cord
- CSA listed 255294

W50061



\$86⁶⁹

PROTECTIVE EAR MUFFS

- Foam-filled ear cups provide excellent noise reduction
- Soft, wide ear cushions for a comfortable fit
- Folding design for easy storage
- Lightweight for all-day comfort
- Noise reduction rating: 25 dB

W50071

\$9⁴⁹



419 PC. METRIC O-RING ASSORTMENT

- Nitrile Butadiene Rubber
- Suitable for many hydrocarbons, fats, oils, gas, etc.
- Not suitable for use with brake fluids
- Good Abrasion Resistance and Resistant to Compression
- High Tensile Strength. Shore A durometer (hardness) 70

W5203

\$16⁴⁹



WHEEL DOLLY (1 PAIR)

- Move your car, riding mower, trailer and much more in any direction with just a push
- Makes storage and service and restoration easier
- 1,000 lb capacity per dolly
- 3 1/2" cast iron swivel ball bearing casters
- Accepts tires up to 14" wide
- Overall size: 23 1/2" x 15 1/2" x 5 1/2"

W54013

\$129⁷⁹



ELECTRIC BLOWER 1200 CFM

- Moves 1,200 cubic feet per minute of air
- Feel the air flow up to 30 feet away
- Sets in four different positions for concentrated air flow and fast drying
- 3-speed switch allows different levels of air speed
- Grounded convenience outlets and CSA approved
- CSA listed 255294

W50068

\$130⁴⁹



2.4" LCD INSPECTION CAMERA

- 2.4 in. color LCD monitor with 320 x 240 VGA resolution displays real time playback of hard to reach, inaccessible, or out of view areas
- Extra-long submersible 5/16 in. (8mm) diameter camera features 79 in. (200cm) flexible neck and 640 x 480 resolution
- In-Plane Switching (IPS) technology delivers better image representation and more accurate color at any angle
- 6 white LEDs with 3 brightness output levels for use inside pipes, drains, engine blocks, and more
- Includes mirror, hook clip, magnet, charging cable, and built-in 18650 lithium ion battery



\$53⁹⁹

W50146



15 PC. DRAIN PLUG SOCKET SET

- Chrome Vanadium Construction
- Includes Storage Rail
- Sizes: (Hex) 9, 10, 12, 14 and 17mm; (Square) 7, 8, 11, 13mm, 5/16", 3/8"; (Female Square) 10mm; (Male Triangle) 10mm, (Tamper-proof Triple Square) 16mm

W54287

\$36⁷⁹



Prices good for April – June 2026

VW AUDI OIL DRAIN PLUG TOOL

- Remove and install the new plastic engine oil drain plugs without damage
- Use on 2015 to current VW/Audi with 1.8L and 2.0L turbo gas engines
- Molded grip with the special tip to mate perfectly with the drain plug
- Fits the following applications: VW: CPKA, CPRA, CPPA, CBFA, CCTA, CBEA, CNTA, CXCA, CXBB, CXBA, CPKA, CNSB, and CNSA. Audi: A3, A4, also TT, TTS, 2014 to current

W54289

\$8⁴⁹



2-1/2" BRAKE ROTOR HONE

- Use to score a cross hatch pattern on the surface of brake rotors
- Works on automotive and motorcycle brake rotors, and flywheels
- Gain lower harmonic vibration, and a quieter braking system
- 2-1/2 in. diameter 120 grit flexible ball stones

W80629

\$36⁴⁹



7 PC. VW-AUDI-PORSCHE BIT SET

- A necessary tool set when working on VW-Audi-Porsches
- For working with head bolts, disc brake calipers, axle shafts and other applications
- For jobs requiring a triple square serrated bit
- Feature CRV sockets with S2 steel bits for durability
- Blow molded storage case
- Sizes include: Extra-long 8, 10 and 14mm 12 pt.; Short 12mm 12 pt.; 14mm and 16mm 12 pt. bits hex shank, and a rounded spreader bit

W83016

\$30⁷⁹



3 DRAWER ROLLING MECHANICS SEAT

- Reinforced seat supports up to 350 lbs
- 3-drawer tool box with roller bearing slides
- Two folding tool trays with magnetic pads
- Vinyl padded seat cushion for maximum comfort and support
- 2-1/2 in. polyvinyl chloride full bearing casters for smooth movement
- Rear tray supports screwdrivers and pliers

\$139⁴⁹

W85025



40" 4-CASTER FOLDING COOL WEAVE CREEPER

- Heavy duty cool weave fabric with a steel power coated frame
- Ideal for automotive and garage applications
- Weather-resistant, lightweight, and provides extra comfort
- Folds for convenient transportation or storage
- 350lb weight capacity

W85028

\$72⁴⁹



18 PC. BRAKE CALIPER SOCKET SET

- Specialty brake caliper bits and sockets needed to service today's Domestic, Euro and Asian vehicles
- Complete coverage for most brake caliper applications in one convenient set
- Heat treated chrome vanadium, and chrome molly construction
- Drive sizes: 1/4 in., 3/8 in., and 1/2 in

W86025 \$73⁴⁹




NEOPRENE PROTECTIVE WORK MAT

- Oversized mat provides a protected work space on your work bench, kitchen table or computer desk space
- Neoprene construction is chemical resistant to protect your work surface from cleaning solvents, oils and dirt
- Top thermo-fiber layer provides you with a firm but cushioned work surface while the 3mm thick rubber backing holds the mat in place and helps to protect your table

W88977

\$14⁸⁹



DISC BRAKE CALIPER SERVICE SET

- For use on most import and domestic vehicles equipped with disc brakes
- Bilingual Instructions
- Replacement part availability

W89200

\$72⁴⁹



INNER TIE ROD TOOL MASTER SET

- Designed to remove, and install inner tie rods quickly and easily
- 12 different adapters to cover most applications on cars and light trucks
- Replaces the inner tie rod without removing the rack and pinion
- SAE: 1-3/16 inch, 1-1/4 inch, 1-5/16 inch, 1-3/8 inch, 1-7/16 inch, and 1-1/2 inch. Metric: 29mm, 32.5mm 33.6mm, 38.4mm, 40mm and 42mm

W89302 \$80⁴⁹



MASTER BALL JOINT ADAPTER SET

- This set expands the service capabilities of the W89304 Ball Joint Service Set
- Includes all receiving tubes removing and installing adapters needed to work on most GM, Ford and Dodge two and four wheel drive pickups, vans and SUVs through 1997
- Works on press fit upper and lower ball joints

W89305

\$143⁹⁹



XL C-FRAME BALL JOINT TOOL

- Ideal for removing larger ball joints on press-fit ball joints found in pick-up trucks and SUV's
- Service Toyota Tacoma, Tundra, Chevrolet 2500-3500, Tahoe, Ram 2500-3500, and Ford F350-F551
- This C-frame can be used in conjunction with our W89304 or W89305 adapters, or other similar brands
- XL C-frame has an 8.75 in. throat and 11.5 in. overall length

W89306

\$112⁴⁹



DHV & DHC SPRING COMPRESSOR

- Designed for use with the cylinder head still on the engine and in the car
- Works well with the cylinder head removed during a bench repair
- A multi-point adjustable base to fit and bolt securely to a variety of heads on most domestic and import car engines

W89408

\$55⁴⁹



Prices good for April – June 2026