ALLIED AUTO STORES

43815 So. Grimmer Blvd., Fremont, Ca 94538 (510) 656-6233

3211 Fostoria Way, San Ramon, Ca 94583 (925) 277-9244


OCT-NOV 2026



FEL-PRO®

THE GASKETS PROFESSIONALS TRUST™





PURCHASE

$250

EARN $10

ON YOUR MONTHLY GIFT CARD

ORDERS ACCUMULATE

Simply order from Allied using our WebShop Online Ordering System.
You will be rebated at the conclusion of the program.

All promotions are subject to change or modifications.

Monthly Gift Card Monetary Rebates will accrue and be issued at $30 and above.

All WebShop promotions are capped, meaning they will end early if funds are exhausted.

Engine Oil Filter Housing Kits



$20.00

REWARD EACH UNIT





- Engineered and Manufactured in North America
- Hi-Temp synthetic housing material matches the thermal characteristics of the original to help keep the oil cool- Aftermarket housings made with different materials than OE may retain more heat than the OEM intended
- Includes the correct year/make/model oil filter verified with the correct flow rate
- No Assembly Required- these housing kits are factory assembled with new sensors, heat exchanger, oil filter, cap and seals already installed, and include new intake manifold gaskets for a quick installation
- Our housings include multiple design improvements over the original to prevent future leaks, including additional seals and O-rings and ultrasonically-welded core plugs



BOSCH

BE READY FOR THE FIRST BIG RAIN OF THE SEASON

$25.00

AMAZON GIFT CARD WITH $250 INITIAL ORDER



DirectConnect™ Wiper Blades

Designed for dependable windshield wiping performance with quick and easy installation.



Clear Advantage™ Wiper Blades

Patented beam design for all-weather performance

FOURSEASONS®
Quality, Coverage, Service

TEMP SELECT

Diagnostic Dual Refrigerant Sight Glass Tool
P/N 69215

The Four Seasons® TEMP Select® Diagnostic Dual Refrigerant Sight Glass Tool, P/N 69215 is designed to service both R134a and R1234yf systems. This innovative tool can be used before the repair to evaluate the condition of the system and to verify the presence of sealers, dyes or other contaminants and again once the repair is completed to verify the system was flushed successfully and there is no remaining system debris.

Compatible with both R134a and R1234yf systems



Protect Your Recovery Machine Investment!

This dual refrigerant unit, P/N 69215, is only available from TEMP Select® and includes:

- A/C Diagnostic Sight Glass
- Hard-sided carrying case with protective padding
- One set of 36" hoses
- One set of R134a manual service couplers
- One set of R1234yf manual service couplers
- One R134a low side service port with cap
- One R1234yf low side service port with cap

Features & Benefits of P/N 69215:

- View real-time system operation
- Visual alert to contamination before servicing, such as
  - Burnt or discolored oil
  - Debris
  - Sealers or dyes
  - Oil separation
- Helps determine contamination severity
- Visually inspect system charge and oil
- Durable construction for long service life
- Filter traps fine debris that could restrict flow of refrigerant and oil
- Clear outer plastic sleeves protects the inner sight glass from damage

ONLY $323.15

Scan here to watch the Diagnostic Dual Refrigerant Sight Glass Tool video.

FS96036-24

STANDARD

JUST THE FACTS

NEW STA35 Electrical Connector Assortment

- 16 Top Wire Pigtail and Socket Numbers – Includes late model coverage
- Perfect service assortment for the technician or service repair shop
- Convenient storage box features an easy-to-read identification card for convenient re-order
- Shop time-saver – technicians have the parts they need at their fingertips



ONLY $124.95

MONROE®

Quick-Strut Complete Strut Assemblies

$10.00

BUY TWO

MONROE®

Shocks

$10.00

BUY FOUR





Dynamic Friction Company

NEW PRODUCT

NEW PRODUCT

Dynamic Friction Company

ALL PAD SETS

$5.00 REBATE



DFC 4000 HYBRIDYNAMIC

HYBRIDYNAMIC BRAKE PADS
HybriDynamic Brake Pads



DFC 5000 ADVANCED

ADVANCED APPLICATION SPECIFIC
ABS Tuned Formulation



DFC EURO 5000 CERAMIC BRAKE PADS

EUROPEAN APPLICATION SPECIFIC
Advanced Ceramic Formulation for European Applications



DFC HEAVY DUTY

HEAVY VEHICLES/TOWING
Semi-Metallic Formulation



DFC ULTIMATE DUTY PERFORMANCE

ULTIMATE DUTY PERFORMANCE
High Friction Formulation



DFC ACTIVE PERFORMANCE

HIGH PERFORMANCE ENTHUSIAST
High Friction Formulation



DFC POLICE

POLICE BRAKE PADS
Police Brake Pads



DFC 3000 CERAMIC

PASSENGER/LIGHT DUTY TRUCKS
Premium Ceramic Formulation



DFC 3000 SEMI-METALLIC

PASSENGER/LIGHT DUTY TRUCKS
Premium Semi-Metallic Formulation




ALL ROTOR PAIRS

$10.00 REBATE

DFC BRAKE ROTORS



	VALUE	PREMIUM	ULTRA PREMIUM	PERFORMANCE	ULTRA PERFORMANCE
					
	Premium Blank Rotor	DFC GeoSpec Coated Rotor	DFC Carbon Alloy Rotor	Premium Performance Rotor	DFC GeoPerformance Coated Rotor
Prefix	600	604	900	631 + 633	830
Recomended Vehicles	Passenger Vehicles and Light Duty Trucks	Passenger Vehicles and Light Duty Trucks	European Applications, Passenger Vehicles	Passenger Vehicles and Light Duty Trucks	Passenger Vehicles and Light Duty Trucks
Recomended Use	Daily Driving	Daily Driver, Track, Off-Road, Tow	Daily Driver, Passenger Vehicles and Light Duty Trucks	Daily Driver, Track, Off-Road	Daily Driver, Track, Off Road
Rotor Pattern	Smooth	Smooth	OE Spec	Drilled and Slotted	Drilled and Slotted
Coating	No Coating	GeoSpec Coating	GEOMET Coating	Silver and Black Zinc Coating	GeoSpec Coating
Rank	Good	Better	Best	Better - Performance	Best - Performance
Features	• Engineered with premium G3000/G11H18 iron castings for strength, stability, and durability. • Original Equipment (OE) vane configuration to ensure proper and maximum heat dissipation. • CNC-machined to the tightest tolerances. • 100% precision mill-balanced for smoother stopping and zero vibration at any speed. • Non-directional finish to promote faster break-in and smoother stops. • Designed to meet the same form, fit, and function as OEM brake rotors. • Quality tested to ensure long-lasting performance. • New in Box, Ready to Install, No Modifications Required.	• Engineered with premium G3000/G11H18 iron castings for strength, stability, and durability. • Original Equipment (OE) vane configuration to ensure proper and maximum heat dissipation. • GEOSPEC Coating - Provides superior corrosion protection over zinc / conventional painting. • CNC-machined to the tightest tolerances. • 100% precision cut and mill-balanced for smoother stopping and zero vibration at any speed. • Non-directional finish to promote faster break-in and smoother stops. • Designed to meet the same form, fit, and function as OEM brake rotors. • Ready to Install - No additional pre-degreasing preparation needed (saves time and money during installation process). • Quality tested to ensure long-lasting performance. • No Modifications Required.	• Engineered with premium G3000/G11H18 iron castings for strength, stability, and durability. • Original Equipment (OE) vane configuration to ensure proper and maximum heat dissipation. • GEOMET® coated to provide high-performance corrosion protection. • Dipped cores to provide for a smoother vane structure. • Disc Thickness Variation (DTV) - .010mm maximum • Lateral Runout - .050 mm maximum 100% precision mill-balanced for smoother stopping and zero vibration at any speed. • Fined Turned finish (1.6 RMS) for improved initial rotor and pad break-in. • No Modifications Required.	• Engineered with premium G3000/G11H18 iron castings for strength, stability, and durability. • Drilled and Slotted for enhanced braking performance. • Original Equipment (OE) vane configuration to ensure proper and maximum heat dissipation. • CNC-machined to the tightest tolerances. • 100% precision mill-balanced for smoother stopping and zero vibration at any speed. • Non-directional finish to promote faster break-in and smoother stops. • Designed to meet the same form, fit, and function as OEM brake rotors. • Quality tested to ensure long-lasting performance. • Ready to Install, No Modifications Required.	• Engineered with premium G3000/G11H18 iron castings for strength, stability, and durability. • Drilled and Slotted for enhanced braking performance. • Original Equipment (OE) vane configuration to ensure proper and maximum heat dissipation. • GEOSPEC Coating - Provides superior corrosion protection over zinc / conventional painting • CNC-machined to the tightest tolerances. • 100% precision cut and mill-balanced for smoother stopping and zero vibration at any speed. • Non-directional finish to promote faster break-in and smoother stops. • Designed to meet the same form, fit, and function as OEM brake rotors. • Ready to Install - No additional pre-degreasing preparation needed (saves time and money during installation process). • Quality tested to ensure long-lasting performance. • No Modifications Required.



Ford

Motorcraft

$100.00

REWARD EACH UNIT

- Every Motorcraft Turbocharger is manufactured from first-quality materials to effectively force more air into the engine to boost power and performance.
- Backed by the Motorcraft Service Parts Warranty which offers 3 years and no commercial exceptions.
- Warranty is supported nationwide by Ford/Lincoln dealers and Ford Authorized Distributors.
- The only Motorcraft Turbocharger recommended by Ford Motor Company for Ford, Lincoln and Mercury vehicles.
- Motorcraft and Ford Parts are used throughout Ford vehicles in a variety of applications that help ensure the proper build quality, integrity and long-lasting performance of every Ford car or truck.
- As with all Motorcraft and Ford Parts, any innovations or improvements developed since the manufacture of the vehicle are included in these after market replacement parts, ensuring the most current technology and performance



Turbochargers

STANDARD

Blower Motor Control Modules



$10.00

REWARD EACH

- Copper alloy conductors deliver superior conductivity with minimal resistive losses, ensuring consistent and reliable performance
- Our research and design process leads to seamless integration with the vehicle's HVAC system
- Restores A/C and heater blower motor variable speed control, helping to optimize HVAC performance and passenger comfort.

Gates®

Complete Serpentine Belt Drive Component Kit



$10.00

REWARD EACH KIT

- Designed for convenience, easy parts sourcing and reduced customer comebacks
- Includes serpentine belt with premium EPDM construction, tensioner, applicable idler pulleys and applicable tensioner hardware
- Meets or exceeds original equipment standards in form, function, and fit.